

JUNE 2010 QUARTERLY REPORT

ABOUT ROBUST RESOURCES

Robust Resources is a mineral explorer focused on gold-silver and base metals on Romang Island in Indonesia's richly endowed Banda magmatic arc. With experienced management who have a track record of major discoveries, Robust is exploring highly prospective ground previously explored by Billiton in the late 1990's. Robust holds an interest in five mineral titles totalling 25,000ha covering the entire Romang Island.

Robust also holds an interest in five tenements with a total area of 739 km² in the Lachlan Fold Belt of NSW. Four of these areas are adjacent to or on the same structural trend as major gold producers, and are underlain by rocks of similar age and lithology. The fifth tenement is a previous gold and base metal producer situated in an untested 27km² epithermal envelope.

Robust Resources Limited
ACN: 122 238 813
3 Spring Street
Sydney NSW 2000
Australia
Phone: (61 2) 8249 4384
Fax: (61 2) 8249 4962

www.robustresources.com.au

David King, Chairman
Gary Lewis, Managing Director
John Levings, Technical Director
Shane Sadleir, Director
Andrew Wilson, Director

ADVANCES EXPLORATION AT ROMANG AND CONTINUES TO BUILD LOGISTICS AND MANAGEMENT CAPABILITY

KEY POINTS

- **Intersects multiple high-grade gold zones at Batu Mas, Romang Island, including:**
 - 57 metres at 3.83 g/t¹ Au equivalent² from surface, including 32 metres at 5.76 g/t Au equivalent from 21 metres; and 20 metres at 7.40 g/t Au equivalent from 29 metres (LWD 072)
 - 58 metres at 2.71 g/t Au equivalent from surface, including 13.7 metres @ 4.47 g/t Au equivalent from 40.5 metres; and 6.3m @ 1.69% Copper (LWD 074)
- **Second and third strongest³ zones of precious metal mineralisation encountered in drilling to date**
- **New results demonstrate the continuity and consistency of the high-grade gold-silver mineralisation between drill holes at Robust's key Batu Mas Prospect**
 - Mineralisation is open in all directions
- **Fourth rig mobilised on site at Batu Mas Prospect**
- **3D IP Resistivity Survey over Lakuwahi Caldera ongoing**
- **Reached agreement for the purchase of remaining 25% minority interest in Romang Island Project**
- **Air Charter secured to significantly improve transport and logistics**
- **A\$10 million FY 2011 budget approved**
- **Appointment of General Manager, Indonesia**

SAFETY and ENVIRONMENT

The Company had no lost time injuries. There were no environmental incidents during the quarter.

OPERATIONAL UPDATE

Corporate Activity

On 27 April 2010, Robust announced that it had reached agreement for the purchase of the remaining 25% minority interest in the Romang Island Project ("Romang") from PT Gemala Borneo Utama. Upon execution of the final Sale and Purchase Agreement ("SPA"), Robust will own 100% of Romang, with the Sellers waiving any obligation to fund the additional A\$3,000,000, as was the condition to Robust acquiring 75% shareholding in Romang (as announced 21 February 2008). Under the terms of the SPA, Robust has agreed to the payment of A\$20 million in two tranches:

- Tranche One = A\$6 million cash plus 5,714,285 shares
- Tranche Two = A\$2 million cash contingent on announcing 1,000,000 ounce gold-equivalent resource (measured or indicated)

This transaction is subject to shareholder approval, with an Extraordinary General Meeting scheduled for 13 August 2010.

On 25 May 2010, the Company announced a number of key logistic and management appointments designed to strengthen operations and fast-track exploration on Romang Island. Transport and logistics activities were significantly improved through the signing of an air charter agreement with Indonesian aircraft operator SUSI Air; while highly experienced explorationist George Katchan was appointed General Manager, Indonesia.

ANNOUNCEMENTS

On 08 June 2010 Robust announced that it had intersected multiple high-grade gold zones at the Company's Batu Mas prospect, Romang Island. Key results included **57 metres at 3.83 g/t Au equivalent**, including **32 metres at 5.76 g/t Au equivalent** and **20 metres at 7.40 g/t Au equivalent** (LWD 072); and **58 metres at 2.71 g/t Au equivalent**, including **13.7 metres at 4.47 g/t Au equivalent** and **6.3 metres at 1.69%** (LWD 074). These results represented the second and third strongest zones of precious metal mineralisation encountered in drilling on Romang Island to date, and mineralisation at Batu Mas remains **open in all directions**.

ROMANG ISLAND, INDONESIA

Exploration Program

During the reporting period Robust Resources Limited has continued to actively explore the Romang Island Project in Eastern Indonesia. Final assay results were received from two holes from the Batu Mas Prospect, **both of these holes encountered precious metal and / or base metal mineralisation of potentially economic grades and widths** significantly extending the identified zones of mineralisation. A summary table of the results are located within this report (Table 2).

¹ g/t = grams per metric tonne ² Gold Equivalent = gold assay + (silver assay / 60). Where the number 60 represents the ratio where 60 g/t Ag = 1g/t Au. This ratio was calculated from the five year average prices of gold and silver prices from 2005 to 30th June 2010 London market PM fix (average Gold price is USD \$781.23 and average Silver price is USD \$13.02). It is the opinion of Robust Resources Ltd that all of the minerals included in the metal equivalents calculation have a reasonable potential to be recovered. For further reference please see the metallurgical recovery test work results released in announcements to ASX on the 3rd and 24th June 2009. ³ Strongest is defined by the sum of the length-weighted gold equivalent over the entire length of the drillhole, for example 20 gram-metres / tonne gold equivalent equates to 10 metres at 2 g/t Au equivalent.




Figure 1: Location of Romang Island in Eastern Indonesia

Drilling

Drilling at Romang has been ongoing, and has now stepped up with the arrival of the fourth owner-operated diamond drill rig. The Company is targeting an aggressive drilling campaign in FY 2011, with activity centred on the Company's two key prospect areas - Batu Mas and Batu Hitam. Robust will be expanding its in-house drill fleet to six in FY 2011, allowing for increased exploration across the Lakuwahi Project, as well as the commencement of drilling at the highly prospective Solat Project in the north of the island.

By the end of the quarter 12 holes and 1,901.8 metres of NQ diamond drilling had been completed at the Batu Hitam and Batu Mas Prospect areas. All holes reached their planned depths with good diamond core recovery.

Table 1 below details the drilling carried out during the quarter.

Hole ID	Easting	Northing	RL	Azimuth	Inclination	EOH	Prospect
LWD076	317556	9157445	347.8	178	-60	85.5	BMS
LWD077	318933	9157060	394.0	178	-60	111	BHM
LWD078	317734	9157601	372.8	358	-60	158	BMS
LWD079	317595	9157449	350.7	178	-60	107.85	BMS
LWD080	319097	9157201	353.5	178	-60	125	BHM
LWD081	317831	9157596	353.0	358	-60	162.5	BMS
LWD082	319175	9157212	342.4	178	-60	219.5	BHM
LWD083	317734	9157461	332.3	178	-60	218	BMS
LWD084	317832	9157637	361.0	358	-60	176	BMS
LWD085	319175	9157214	342.4	358	-60	189.4	BHM
LWD086	317812	9157690	381.6	358	-60	174.5	BMS
LWD087	317668	9157492	349.3	178	-60	174.5	BMS
NB: Datum is WGS84 Zone 52/ Azimuths are magnetic					Total	1901.8	

Table 1: June 2010 Quarter Drilling on the Lakuwahi Project

Batu Mas Drilling

Robust continued drilling at the Batu Mas Prospect during the reporting period, with two diamond drill rigs active, and producing highly encouraging results from recent drilling. Results were received from two holes, both encountering precious metal mineralisation of potentially economic grades and widths, significantly extending the identified zones of near-surface, high-grade gold-silver mineralisation. A summary table of the results are detailed in Table 2, the highlights of which are described below.

The Company believes that the drill results released to date confirm the potential for the Batu Mas Prospect to host world-class gold mineralisation similar to other major deposits in the region.

Diamond drill holes LWD 072 and LWD 074 were positioned to follow up on the outstanding result from hole LWD 051 received in December 2009, which encountered:

**57.5 metres at 6.78 g/t Au equivalent (5.28 g/t Au and 90 g/t Ag) from 1.5 metres
Including 27 metres at 9.36 g/t Au equivalent (8.57 g/t Au and 47 g/t Ag) from 3 metres**

LWD 072 is located 27 metres to the northwest of LWD 051 and LWD 074 is 37 metres to the southwest. These two holes respectively intersected the second and third strongest zones of precious metal mineralisation encountered in drilling on Romang Island to date.

A summary of the results from hole **LWD 072** include:

57 metres at 3.83 g/t Au equivalent (3.17 g/t Au and 40 g/t Ag) from surface, including:

- **32 metres at 5.76 g/t Au equivalent (4.69 g/t Au and 65 g/t Ag) from 21 metres; and**
- **20 metres at 7.40 g/t Au equivalent (5.98 g/t Au and 85 g/t Ag) from 29 metres**

The high-grade gold zone is underlain by a thick pile of lead-zinc rich base metal mineralised breccias. This zone also carries significant gold and silver. A summary of the intersection is as follows:

54m at 2.75% combined Cu+Pb+Zn (0.52 g/t Au and 21 g/t Ag) from 49 metres

A summary of the results from hole **LWD 074** include:

58 metres at 2.71 g/t Au equivalent (2.33 g/t Au and 23 g/t Ag) from surface, including:

- **13.7 metres at 4.47 g/t Au equivalent (3.24 g/t Au and 74 g/t Ag) from 40.5 metres**

This hole also intersected a significant zone of copper mineralisation of **6.3 metres at 1.69% Cu** from 54.2 metres, further underlining the strength and untested potential of the Batu Mas Prospect.

Hole Number	Easting WGS84	Northing WGS84	Azi mag	Inclin-ation	From (m)	To (m)	Interval (m)	Au (g/t)	Ag (g/t)	Au Equiv	Cu (%)	Pb (%)	Zn (%)	Cu+Pb+Zn (%)
LWD072	317613	9157544	178	-60 incl incl incl incl	0	57.0	57.0	3.17	40	3.83				
					21.0	53.0	32.0	4.69	65	5.76				
					26.0	51.0	25.0	5.39	79	6.70				
					29.0	49.0	20.0	5.98	85	7.40				
					49.0	103	54.0	0.52	21	0.86	0.09	1.79	0.86	2.75
LWD074	317603	9157506	178	-60 incl	0	58.0	58.0	2.33	23	2.71				
					40.5	54.2	13.7	3.24	74	4.47				
					54.2	60.5	6.3	0.45	54	1.35	1.69	0.54	0.23	2.46

Table 2: Batu Mas Prospect Diamond Drill Results

Figure 2 below shows an updated Batu Mas Drill Location Plan, inclusive of the new results. Also included on this plan are the grade and thickness information for the latest holes drilled at Batu Mas. Both gold-silver and copper-lead-zinc data are posted under the collar symbol.

Figure 3 below depicts the intensity of the distribution of the gold-silver mineralisation at Batu Mas. The gold-silver distribution shown is contoured, with dark contours representing the stronger gold mineralisation, which clearly shows that there has not been one adverse result in the Batu Mas drilling to date, i.e. all holes have intersected better than 20 gram-metres / tonne gold equivalent (e.g. 20 gram-metres / tonne equates to 10 metres at 2 grams/tonne, as shown by the lighter contours). Importantly, the Batu Mas mineralisation is still open in all directions, while higher-grade zones are open in at least three directions.




Figure 2: Batu Mas Drill hole Location Plan showing the most recent results




Figure 3: Batu Mas Gold-Silver Distribution Contour Plan showing the intensity of gold-silver mineralisation

Batu Hitam Drilling

Drilling at Batu Hitam continued during the reporting period utilising one of the Company's man-portable diamond drill rigs. Drilling continues to concentrate on the follow-up of the excellent intersection in drill hole LWD 042 (52 metres at 1.57 g/t Au Equivalent and 36 metres at 3.0% combined Cu/Pb/Zn including 10 metres at 4.6% combined Cu/Pb/Zn) and the exceptional hole LWD 066 which intersected altered and mineralised brecciated volcanic rocks for the entire length of the hole, ending in mineralisation at **120 metres averaging 1.9% combined Zn + Pb + Cu**. Summary results from LWD 066 are shown below.

LWD066	From 8.5m to 20.5m: 12 metres at 1.79 g/t Au Equivalent [0.43 g/t Au] and [81 g/t Ag] From 31.5m to 106m: 74.5 metres at 2.6% combined Zn + Pb + Cu Including: From 31.5m to 43.5m: 12 metres at 3.4% combined Zn + Pb + Cu And: From 101.85m to 104m: 2.15 metres at 21.9% combined Zn + Pb + Cu
--------	---

This hole was drilled on the easternmost section so far completed, 50 metres south of hole LWD 059, which intersected 18 metres at 2.8% combined Zn + Pb + Cu. As such, it represents a significant strengthening of the mineralisation southwards on this section and points to untested mineral potential to the east.

Hole LWD 067 was drilled 40 metres south of LWD 066 and also intersected a broad zone of mineralised brecciated volcanic rocks for the entire length of the hole; **averaging over 1.1% combined Zn + Pb + Cu over 120.5 metres**.

No further results from diamond drilling were returned during the June 2010 reporting period.

Robust has now completed 73 diamond drill holes and 8,256 metres of drilling in the Batu Mas, Batu Hitam and Batu Jagung prospects of the Lakuwahi Project since the current drilling programme began on 08 November 2008.

To put the current exploration programme further into perspective, only a very small proportion of the prospective Lakuwahi Project has been drilled to date. Interpretation of remodelled magnetic survey data indicates a mineralising system approximately 14 km² in extent, with drilling to date testing less than 0.02 km² or less than 0.2% of the system.

Geophysics

The 150 line-kilometre IP Resistivity survey across the Lakuwahi Project is progressing steadily with approximately 50% of the planned area completed. The raw survey data is now in the process of being modelled by our consultant geophysicists in Perth and early indications are promising. This information, when combined with the exceptional geological mapping of the area, soil geochemistry and other geophysical results, is now beginning to assist the company in targeting the next phase of drilling across the Lakuwahi Project.

The remaining IP / Resistivity survey work is expected to be finished in the next reporting period and the company looks forward to reporting on the progress and findings of this survey as the work proceeds.

Air Charter Agreement signed

The Air Charter Agreement (announced 25 May 2010) with PT ASI Pudjiastuti Aviation (SUSI Air) for the provision of air charter services between Kupang and Kisar has now been signed. This agreement allows for up to 20 hours of charter flights per month between Kupang and Kisar (Figure 4). This is a key development for Robust, as it will allow for drilling samples to be transported off Romang at more regular intervals, in addition to enhancing transportation of personnel and supplies. SUSI Air is the largest operator of Cessna 208 Caravan aircraft in the Asia Pacific Region.

This is a key development for Robust, allowing drill core samples, personnel and supplies to be transported on and off Romang at more regular intervals.




Figure 4: Regional map of Indonesia highlighting flight charter route between Kupang and Kisar

Financial Year 2011 Budget

The Robust Board has approved the FY2011 budget of \$10 million from which over 80 cents in every dollar will be injected directly into the exploration programme on Romang. Key initiatives of this budget include:

- Funding for an aggressive 27,000 metre drill campaign, including contracting of an RC rig to accelerate resource delineation.
- Continuation of the IP survey at Lakuwahi, with expansion to the Solat Project.
- Continued Metallurgical testwork on precious and base metals.
- Expansion of exploration teams including three additional geologists and a drilling manager to drive safety, training and production – bringing the total to over 100 people working on Romang Island.
- Increased charter flights to facilitate better access to site for personnel and supplies.
- Boosting infrastructure on Romang and Kisar with purchase of vehicles, generators and a sample preparation lab (Kisar).
- Heightened community development presence and programme.

Appointment of General Manager, Indonesia

Robust appointed highly experienced explorationist George Katchan as General Manager, Indonesia. Dr Katchan's diverse and varied work experience encompasses 27 years in gold and base metal exploration of which twelve years were spent on foreign assignment (including eight in Indonesia). He has also held a number of senior managerial roles in the resources industry, including his appointment as Managing Director of Pegasus Metals Limited (Perth), his most recent position. He holds a B.Sc (Hons) from Sydney University and a Ph.D in mineralogy and geochemistry.

Planned Exploration for the next reporting period

It remains the Company's intention to continue the 3D Induced Polarisation (IP) / Resistivity Survey, started in March 2010, which is now beginning to offer insights into the mineralisation processes of the Lakuwahi Project. This information, when combined with the exceptional geological mapping of the area, soil geochemistry and other geophysical results, has greatly assisted the company in targeting the next phase of drilling across the Lakuwahi Project.

Drilling is set to continue with four owner-operated diamond core drill rigs at Lakuwahi during the next quarter.

NSW TENEMENTS

Summary

- Ausmon-Robust JV Year 2 commitment of \$250,000 was met.
- Remaining (Year 3) earn-in expenditure \$250,000 for 12 months to 16 May 2011 to earn 85%.
- Year 2 JV DPI work/expenditure commitments were fully met. Four DPI Annual Reports were dispatched on June 16th.
- ELA 3818 at Pooraka next to EL 6413 reached offer stage in June. New EL 7564 covers prospective ground directly on strike from Mt Boppy.
- Cumnock JV EL 6417, several significant anomalies studied that require drilling in FY2011.
- Bauloora (100% Robust). Numerous prospective farm-in parties expressed interest.

Robust-Ausmon JV Update

Work focussed on anomaly highlighting/ data compilation/ report writing with view to meeting current year DPI obligations (Tenement Years end May 16th, Annual Reports due June 16th 2010) before planning 2010 exploration. **Pooraka ELs 6413 & 7564** are considered most prospective, followed by **Cumnock EL 6417, Mt Barrow EL 6416, and Tindarey EL 6415**.

Pooraka EL 7564

This, adjacent to and covering the area between the northern and southern segments of Pooraka EL 6413, was officially granted in June. Pooraka EL 6413 and EL 3818 remain highly prospective for Au, and Pb-Zn-Ag deposits, with untested targets, and gold anomalies/ intersections, close to, and on strike from, Mt Boppy. The main target is the Mt Boppy/ Hardwicks/ Langbein /McGuinness zone. Proposed exploration will consist of filtering of magnetic data and bedrock sampling of selected targets.

Cumnock EL 6417

As noted before, recent work on the Gumble segment (highly prospective for skarn and skarn-related deposits) highlighted 4 significant Cu and/or Au anomalies, including 2 quite good drill targets. These are situated about 1km from Delaneys Dyke.

Also, recent work on the northern (Mt Catombal) segment highlighted 2 strong Cu-Au anomalies designated "Turner's Anomaly" and "Lawrence's Anomaly". The host Cuga Burga Volcanics are prospective for Cadia type epithermal copper-gold deposits associated with hydrothermal (epidote-silica-calcite-chlorite) alteration. These anomalies require drilling in 2010/11.

Bauloora EL 6414 (100% Robust)

As noted before, distal epithermal veins at Bauloora are extensive, and noticeably anomalous in gold and silver. This was picked up in historical RAB drilling and in recent surface sampling. A modest programme of close spaced soil and rock chip sampling is required to delineate drill targets. These will then need to be properly tested by, say, six 150 to 300m long RC- percussion holes.

RESPONSIBILITY FOR EXPLORATION RESULTS STATEMENTS

The information in this report that relates to Exploration Results, Mineral Resources or Ore Reserves is based on complied by Warrick Clent BSc, who is a Member of The Australasian Institute of Mining and Metallurgy and who has more than ten years experience in the field of activity being reported on. Mr Clent is a full time employee of the Company. Mr Clent has sufficient experience, which is relevant to the style of mineralisation and type of deposit under consideration and to the activity, which he is undertaking to qualify as a Competent Person as defined in the 2004 Edition of 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr Clent consents to the inclusion in the announcement of the matters based on his information in the form and context in which it appears.

CORPORATE

Cash and Funding Position

At 30 June 2010, Robust had \$8,006,109 in cash and receivables and no debt. The Company considers that it is fully funded to complete the current exploration projects on all tenements.

CORPORATE DIRECTORY

Board of Directors

David King	Chairman
Gary Lewis	Managing Director
John Levings	Technical Director
Shane Sadleir	Non-Executive Director
Andrew Wilson	Non-Executive Director

Issued Share Capital

Robust Resources has 58.7 million ordinary shares currently on issue.

Registered Office

Robust Resources Limited
Level 3
3 Spring Street
Sydney NSW 2000 Australia

Company Secretary

Ian Mitchell

Quarterly Share Price Activity

	High	Low	Last
Mar 2007	\$0.26	\$0.16	\$0.25
Jun 2007	\$0.35	\$0.185	\$0.21
Sep 2007	\$0.20	\$0.115	\$0.19
Dec 2007	\$0.21	\$0.135	\$0.175
Mar 2008	\$0.215	\$0.15	\$0.20
Jun 2008	\$0.25	\$0.16	\$0.24
Sep 2008	\$0.24	\$0.15	\$0.18
Dec 2008	\$0.20	\$0.10	\$0.10
Mar 2009	\$0.34	\$0.125	\$0.285
Jun 2009	\$0.805	\$0.275	\$0.675
Sep 2009	\$0.82	\$0.525	\$0.675
Dec 2009	\$2.46	\$0.605	\$2.10
Mar 2010	\$2.62	\$1.43	\$2.12
Jun 2010	\$2.29	\$1.355	\$1.39

www.robustresources.com.au

Phone (61 2) 8249 4384
Fax (61 2) 8249 4962