

MARCH 2009 QUARTERLY REPORT

ABOUT ROBUST RESOURCES

Robust Resources Limited is a mineral explorer focused on gold and base metals on Romang Island in Indonesia's richly endowed Banda magmatic arc. With experienced management who have a track record of major discoveries, Robust is exploring highly prospective ground previously explored by Biliton and Ashton Mining. Robust holds an interest in seven mineral titles totalling 25,000ha covering the entire Romang Island.

Robust also holds an interest in tenements with a total area of 739 km² in the Lachlan Fold Belt of NSW. Four of these areas are adjacent to or on the same structural trend as major gold producers, and are underlain by rocks of similar age and lithology. The fifth tenement is a previous gold and base metal producer situated in an untested 27km² epithermal envelope.

Robust Resources Limited
ACN: 122 238 813
3 Spring Street
Sydney NSW 2000
Australia
Phone (61 2) 8249 4384
Fax (61 2) 8249 4962

www.robustresources.com.au

Ian Finch, Chairman
Gary Lewis, Executive Director
Shane Sadlier, Non-Executive Director

FARMS OUT NSW TENEMENTS TO ACCELERATE EXPLORATION ON ROMANG ISLAND, INDONESIA

KEY POINTS

- Drilling results confirms potential for extensive Gold and Silver mineralisation.
- Mineralised zone remains open in all directions.
- Significant Base Metals (Lead / Zinc) also intersected.
- Third diamond rig to accelerate and extend drilling program to 5,000m by December 2009.
- Raises \$1.35m via a placement of 5.4m shares at 25c per share to sophisticated investors.
- Farms-out 85% interest in 4 of 5 NSW ELs to Ausmon Resources Limited.

SAFETY and ENVIRONMENT

The Company had no lost time injuries. There were no environmental incidents during the quarter.

OPERATIONAL UPDATE

Corporate Activity

On Feb 11th 2009 Robust signed a JV Agreement with Ausmon Resources Ltd (Ausmon) for the Farm Out of an 85% interest in ELs 6413 (Pooraka), EL 6415 (Tindarey) and EL 6416 (Mt Barrow) near Cobar, and EL 6417 (Cumnock), near Orange. The deal excluded Bauloora (EL 6414) near Cootamundra, which is 100% owned by Robust.

Under the agreement Ausmon will spend \$250,000 p.a. on the tenements as a whole for 3 tenement years ending May 2011, with a right to withdraw after 2 years. This includes the current tenement year to May 16th 2009. Robust is Operator of the joint venture, with an Operating Committee comprising two members from each company. The JV Agreement was registered with the DPI on April 6th 2009. Robust retains a 15% free carried interest in each tenement until Ausmon earns its 85% interest therein, and thereafter evaluation and development expenditure would be shared on a pro rata basis.

As a subsequent event, on 28 April 2009 the Directors announced the **placement of 5.4 million shares at 25 cents per share to sophisticated and professional investors to raise \$1,350,000**. These funds will be used to accelerate exploration on Romang Island, including the purchase of a third diamond-drilling rig.

ANNOUNCEMENTS

On 04 February 2009 the Company announced assay results received on the initial two holes drilled on the highly prospective Lakuwahi Prospect in the South of Romang Island, Indonesia. Particularly encouraging were the results from the first hole, **LWD-015 where a strong 41-metre zone of potentially economic gold and silver mineralisation was intersected**. The second hole, LWD-016 contained elevated levels of gold and silver and strong lead, zinc and barium over its entire length of 101.25m.

On 09 March 2009, Robust reported results on a further six diamond drill holes on the Lakuwahi Prospect. These results confirmed continuity of gold and silver mineralisation and indicated potential for a large resource.

On 24 March 2009, the Company advised that it had received assay results on a further two diamond drill holes from the Lakuwahi prospect, with both holes intersecting strong gold and silver values in addition to wide base metal zones. Of particular interest was hole **LWD-024 which intersected a 75-metre wide zone of 1.80% Pb/Zn combined**. As a result of the continued positive drilling, the Board announced its decision to accelerate and extend its exploration program via the purchase of a 3rd diamond drill rig, and increase its budget to encompass a 5000m drilling program to December 2009.

ROMANG ISLAND, INDONESIA

Exploration Program

During the reporting period Robust Resources has continued to actively explore the Romang Island Project in Eastern Indonesia. Results returned from diamond drilling substantiate the large precious and base metal resource potential for the Lakuwahi Project area. Further work using recently reprocessed geophysical data combined with extensive fieldwork has now established further drill targets outside of those identified previously by Billiton's work during the mid 1990's.



Figure 1: Location of Romang Island in Eastern Indonesia




Figure 2: Lakuwahi Project with prospect locations

Drilling

Drilling at the Lakuwahi Project, located on the southern end of Romang Island, has continued during the reporting period. By the end of the quarter, 9 holes and 800.65 metres of NQ diamond drilling had been completed. All holes reach the planned depth. The Table below details the drilling carried out during the quarter.

Hole	Easting	Northing	RL GPS	Azimuth	Inclination	Final Depth	Start Date	Finish Date	Prospect
LWD020	317631.9	9157570.6	367.9	180	-60	84.20	03-Jan-09	08-Jan-09	Batu Mas
LWD021	317688.3	9157607.1	373.1	180	-60	80.85	09-Jan-09	13-Jan-09	Batu Mas
LWD022	317695.1	9157569.3	362.2	180	-60	51.55	15-Jan-09	17-Jan-09	Batu Mas
LWD023	317694.9	9157674.2	364.8	180	-60	91.65	25-Jan-09	29-Jan-09	Batu Mas
LWD024	317731.8	9157642.4	378.8	180	-60	95.05	31-Jan-09	10-Feb-09	Batu Mas
LWD025	317591.9	9157632.2	367.5	180	-60	120.70	12-Feb-09	24-Feb-09	Batu Mas
LWD026	318974.5	9157138.0	391.7	178	-60	72.25	07-Mar-09	12-Mar-09	Batu Hitam
LWD027	318978.5	9157178.3	389.6	182	-60	106.70	16-Mar-09	25-Mar-09	Batu Hitam
LWD028	318974.5	9157099.1	389.3	182	-60	97.70	26-Mar-09	03-Apr-09	Batu Hitam
NB : Datum is WGS84 Zone 52 / Azimuths are magnetic						Total	800.65		

Robust now has two owner-operated NQ Core diamond drilling rigs on its Romang exploration programme which allow for economical and flexible operations. Also, as previously reported, the purchase of a third rig to accelerate the exploration programme is being progressed.

Assays

Numerous significant results were received during the quarter from the diamond holes drilled in the highly prospective Lakuwahi Project area on Romang Island. Highlights of the results received during the quarter are reported in the Table below.

Hole	Easting	Northing	Azimuth (MAG)	Inclination	From (m)	To (m)	Interval (m)	Au (g/t)	Ag (g/t)	Pb (%)	Zn (%)
LWD017	317593.6	9157537.7	180	-60	22	49	27	2.19	48		
					33	38	5	4.44	5		
					42	49	7	2.51	169		
LWD018	317596.9	9157632.2	180	-60	38.4	45.05	6.65	0.31	34		
LWD019	317557.8	9157561.7	180	-60	46.9	65	18.1	0.55	11		
LWD020	317631.9	9157570.6	180	-60	10	10.95	0.95	1.25	71		
					17.95	51	33.05	1.45	111		
					28	39	11	2.46	113		
LWD021	317688.3	9157607.1	180	-60	0	2.45	2.45	3.1	29		
					27.35	47.95	20.6	1.07	46		
LWD022	317695.1	9157569.3	180	-60	33	40	7	1.01	21		
LWD023	317695.7	9157676.6	180	-60	22.5	24.5	2	0.93	46	0.93	0.05
					53.5	55.8	2.3	0.08	10	1.49	0.74
					70.65	73	2.35	0.33	4	0.80	1.53
					89.75	90.15	0.4	0.2	22	3.63	4.15
LWD024	317731.8	9157642.4	180	-60	23.75	36.25	12.5	1.25	107	0.49	0.01
					33.95	36.25	2.30	1.54	333	0.5	NSI
					43.75	45.75	2.00	0.35	42	5.19	0.03
					50.5	72.75	22.25	0.19	7	1.16	1.48
					56.05	57.75	1.70	0.28	24	4.70	3.48
LWD025	317589.4	9157631.2	180	-60	8.7	13.7	5	0.06	8	0.25	1.10
					22.7	24.7	2	1.01	44	0.90	0.03
					45.7	46.5	0.8	0.69	6	1.13	0.06
					86.7	109.7	23	0.52	23	2.54	2.27
					90.7	94.4	3.7	1.00	55	8.76	4.47
					92.1	94.1	2	1.51	89	15.00	6.04

NB : Datum is WGS84 Zone 52

Significant gold and silver mineralisation has now been intersected within numerous holes at the Batu Mas Prospect with highlights such as LWD 17, which intersected a **27m gold zone** from 22m down hole. This zone has a gold grade of **2.19g/t** with a **coincident silver** grade of **48g/t**. This intercept is significant when combined with results obtained in LWD 24 in that it now confirms a North East / South West strike direction of over 200m for this identified precious metal zone, see Figure 3 below. This zone remains open in all directions.




Figure 3: Zone of Precious Metal mineralisation at the Batu Mas Prospect

A wide base metal zone has also intersected Both LWD 23 and LWD 24 at the Batu Mas Prospect. In hole LWD 24 particularly, a 75.3m wide intercept of 0.75% Lead from 19.75m to 95.05m (EOH) occurs. A combined Pb / Zn zone also occurs in over a 47.3m width from 47.75m to 95.05m (EOH) grading 1.01% Zn + 0.79%Pb (1.80% Pb/Zn combined). Several internal, higher-grade zones exist within the main zone.

Hole LWD 23 also intersected 32.45m at 0.24% Lead from 14.2m and 22.5m at 0.49% Lead + 0.91% Zinc (1.40% Pb/Zn combined) from 69.15m.

Figure 4 shows the cross-section of lead-zinc mineralisation, which is found in altered volcanic rocks below the promising gold-silver mineralisation, which occurs in the overlying silica barite rocks within the Lakuwahi caldera.




Figure 4: Drill Section showing the distribution of lead-zinc mineralisation

Robust has now completed a total **1,174.1 metres** of diamond drilling on the large caldera-hosted Lakuwahi Gold-Silver-Base metal Project on Romang Island, and is on track to complete its 5,000 metre program by December this year.

The continuing results confirm the large precious and base metal resource potential indicated from earlier Robust drilling and from previous drilling by Billiton between 1997 and 1999. Eighty per cent of the holes drilled by Billiton and Robust contain significant gold, silver, zinc, lead and copper mineralisation.

The recent positive results will require follow-up drilling whilst other targets identified within the extensive Lakuwahi caldera will also need to be drilled. Recent mapping by Robust has identified black, tubular-like structures in this area, possibly representing “black smokers”. Rock chips have been submitted for assay.

A team of geologists is also actively mapping and sampling the caldera as part of an ongoing target generation programme.




Figure 5: Detailed location plan of Robust Resources' Batu Mas Prospect Drilling

Geophysics

Reprocessed Aeromagnetic Data

3D modelling of the airborne magnetic data acquired by Billiton in 1997 has identified a large zone of low magnetic susceptibility, which is interpreted to be due to a large (6km x 4km) magnetite-destructive hydrothermal alteration system. Much of this system is preserved beneath post-mineral reef limestone. As can be seen in Figure 6, drilling has tested a very small part (approximately 150 by 200 metres) at the western edge of the target system.

In addition CSAMT (Controlled Source Audio-Frequency Magneto-Tellurics) survey data was obtained over an area of the central Lakuwahi caldera. Initial processing of the CSAMT data had not been completed before the end of the quarter but will be reported on in the next quarter.




Figure 6: Contours of magnetic susceptibility from 3D modelling showing the large 6Km x 4 Km alteration system within the Lakuwahi Caldera. Billiton drilling (in black) and Robust drilling (in red) has tested only a small part of this system.

Logistics

Email communications systems have been established on Romang Island along with all logistical and accommodation requirements to support the drilling programme.

Health, Safety, Environment and Community

The company has established excellent relations with the local communities on Romang Island. The majority of the workforce is drawn from the Island and the company is now an important and integrated member of the community.

Robust's exploration programs are being conducted with the utmost sensitivity to local customs and the environment. The man-portable rigs utilised by Robust have an almost zero environmental impact.

Next quarter, environmental baseline studies will be finalised and on-going monitoring systems maintained and enhanced during the exploration phase and beyond. Strategic partnerships are being set up with institutions committed to sustainable development in mining.

Robust has commenced negotiations with local government to substantially enhance and support health services on the island.

NSW TENEMENTS

Since January 2009 work has continued steadily towards meeting DPI time and expenditure requirements. Encom Group were initially commissioned to filter and process available regional aeromagnetic data- reduction to pole, edge, tilt, etc. This was done to assist with relinquishment area selection and target enhancement. Other work undertaken is summarised below.

COBAR TENEMENTS

(Pooraka EL 6413, Tindarey EL 6415, Mt Barrow EL 6416)

A programme of intensive fieldwork was undertaken on the above 3 Cobar ELs by PG Moeskops (GM Technical) during March 2009. Targets consisted of earlier delineated geochemical, geophysical and geological “hot spots” mostly requiring shallow (2 to 16m) bedrock sampling by air core drilling.

Air Core Bedrock Sampling. In all 435 holes were drilled (Tindarey EL-78, Mt Barrow EL-139, Pooraka EL-218—for a total of 2094m- average depth 4.8m). Holes were planned to be 4 to 8m deep, with a 2m sampling interval, but in highly silicified and ferruginised places -eg at Chert Ridge on Pooraka EL “refusal” at shallow depth (1 to 3m) was not uncommon. In most cases 1 Kg cyclone splits were collected from the bottom 2m of holes.

Mapping/ Prospecting/Rock Chip Sampling. A total of 40 samples were collected, mainly from the Golconda and Mt Merrere gold diggings on Tindarey EL 6415 (26 samples) plus several anomalous spots on Pooraka EL (8 samples). The remaining 6 samples were of hard outcrops at proposed air core sites.

Chemical Analyses. The above samples-475 in all- were dispatched to ALS Chemex Labs in Orange to be dried, crushed, pulped and analysed for Au (AA 21), Ag, As, Sb, Cu, Pb, and Zn (ICP 41). Results will be reported shortly.

Cumnock EL 6417

An extensive (10 sq km, 850 sample) programme of soil sampling was begun in the southern (Gumble) segment of the EL. This was designed to cover skarn prospective granite/ country rock contacts and/or possible extensions to the earlier drilled (Robust- 2007) Delaney’s Dyke Zn-Ag-Cu-Au mineralisation. Orientation sampling was initially undertaken (20 samples/ 3 sieve fractions) and results (Au, Cu, Pb, Zn, Ag, As, Sn, P and Bi) evaluated.

Additional soil and rock chip sampling programmes are planned in Blathery Creek/ Owens Shaft “disseminated Cu” segment of the EL, and possibly in the northern “Neurea Cu Zone” segment. This work is scheduled for completion by May 16th 2009 for inclusion in the Annual DPI Report.

Bauloora EL 6414

A limited programme of mapping, prospecting and rock chip sampling is planned in early April 2009, to be included in the Annual DPI Annual Report. This work will focus on the Mee Mar and Gravel Scarps prospects.

Renewal of the 5 NSW ELs

EL areas to be renewed (following 50% reduction) were selected, and Renewal Applications and fees dispatched, in correct format, to the DPI on April 16th, one month before expiry. The expectation is that, since the above work programmes meet DPI requirements in terms of commitment, timing and expenditure, the ELs will be renewed for another 2 years. The renewal process however involves study of all Annual Reports, and can therefore take time, sometimes months, to complete.

RESPONSIBILITY FOR EXPLORATION RESULTS STATEMENTS

The information in this announcement that relates to Exploration Results, Mineral Resources or Ore Reserves is based on complied by Warrick Clent BSc, who is a Member of The Australasian Institute of Mining and Metallurgy and who has more than ten years experience in the field of activity being reported on. Mr Clent is a consultant to the Company. Mr Clent has sufficient experience, which is relevant to the style of mineralisation and type of deposit under consideration and to the activity, which he is undertaking to qualify as a Competent Person as defined in the 2004 Edition of 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr Clent consents to the inclusion in the announcement of the matters based on his information in the form and context in which it appears.

CORPORATE

Cash and Funding Position

At the end of March 2009, Robust had A\$922,000 in cash and receivables and no debt. The Company considers that it is fully funded to complete the current exploration projects on all tenements.

On 28 April 2009 the Directors announced the **placement of 5.4 million shares at 25 cents per share to sophisticated and professional investors to raise \$1,350,000**. With the inclusion of this new funding, the Company's cash balance, as at 30 April 2009 is **\$2,054,500**.

CORPORATE DIRECTORY

Board of Directors

Ian Finch	Chairman
Gary Lewis	Executive Director
Shane Sadlier	Non-Executive Director

Company Secretary

Ian Mitchell

Issued Share Capital

Robust Resources has 36.0 million ordinary shares currently on issue.

Quarterly Share Price Activity

	High	Low	Last
Mar 2007	\$0.26	\$0.16	\$0.25
Jun 2007	\$0.35	\$0.185	\$0.21
Sep 2007	\$0.20	\$0.115	\$0.19
Dec 2007	\$0.21	\$0.135	\$0.175
Mar 2008	\$0.215	\$0.15	\$0.20
Jun 2008	\$0.25	\$0.16	\$0.24
Sep 2008	\$0.24	\$0.15	\$0.18
Dec 2008	\$0.20	\$0.10	\$0.10
Mar 2009	\$0.34	\$0.125	\$0.285

Registered Office

Robust Resources Limited
Mezzanine Level
3 Spring Street
Sydney NSW 2000 Australia

www.robustresources.com.au

Phone (61 2) 8249 4384
Fax (61 2) 8249 4962